Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.09



W. B. CLARKE & SON

SAN JOSE, CALIFORNIA



Phone Ballard 1776

P. O. Box 343

November 25, 1929

DEC 30 R

L. D. Latt 2 Ax

LIST 2909

THIS LIST COVERS STOCK OFFERED BY

CLARKE NURSERY CO.

SAN JOSE, CALIF.

SEASON 1929-1930

PLEASE NOTE

All summer quotations not accepted to date are hereby cancelled.

Terms. To buyers of known or established credit, 60 days from date of invoice. Otherwise cash with order or 25% with order, balance C. O. D.

Grading. Plants that are wider than they are tall are graded by width.

Quantities. Five or more plants of one kind and size will be supplied at 10 rate; 50 or more at 100 rate; 500 or more at 1000 rate.

Pots. Prices on pot grown stock do not include the pots and unless otherwise instructed plants will be removed from pots before shipping. If wanted in the pots they will be charged for at cost, but can be returned if desired and credit will be given.

Packing. Will be charged for at cost as usual, including paper pots if used. Plants will be packed to secure lowest possible freight classification consistent with the nature of goods shipped. All prices are at our nursery.

Shipping. Our responsibility ceases when goods are delivered to transportation company in good order. They travel at buyer's risk. Please state distinctly whether you wish goods shipped by freight or express and where water shipment is possible be sure to specify by water or rail as you may prefer.

Nomenclature. Plant names, both botanical and common, have been revised to conform with 1923 edition of "Standardized Plant Names," with the addition of a few common names widely used on the Pacific Coast.

This list covers items of which we now have a fairly good supply unsold. Many other things can be furnished in moderate quantities and quotations will be made on request. So if you want any ornamental stock not listed here write us about it.

This list is for the trade only and all prices are strictly net. Landscape Architects and Landscape Gardeners who are not actual nurserymen will be charged 20% in addition to the rates quoted herein.

Both firms are members of CALIFORNIA ASSOCIATION OF NURSERYMEN

Novelties and Specialties

Special attention is called to the following items. Available sizes and prices are shown in the corresponding divisions of this list.

CONIFERS

- CHAMAECYPARIS lawsoniana stewarti. Our best golden-hued conifer, All winter when Golden Arbor Vitaes lose their color this is at its brightest.
- CHAMAECYPARIS lawsoniana wisseli. Wissel Cypress. Growth narrow and erect. Color sage or blue green. Foliage moss like. Rare and beautiful.
- CUPRESSUS glabra stricta. A chance seedling originating with us. Growth much like Italian Cypress but becomes thicker at base. Color bright silvery blue. All plants offered are grafted, hence uniform.
- THUYA orientalis beverleyensis. Not a novelty, but still far from common. Growth erect and slender. Color vivid gold except in winter. As it does not sunburn it is entirely supplanting the old Thuya aurea conspicua to which it is superior in every way.

BROAD LEAVED EVERGREENS

- ARBUTUS menziesi. Madrone. Probably our most beautiful native tree. Hard to propagate and of slow growth at first, it has always been scarce. We are now able to furnish it in quantity.
- BERBERIS knighti. Has the most beautiful foliage of all the Barberries. It has been scarce for several seasons but we now have a fairly good stock.
- BERBERIS verruculosa. This is the first time we have been able to offer this excellent and distinct novelty. Growth very compact, leaves small and holly-shaped.
- CEANOTHUS arboreus hybridus. Flowers range through every shade of blue from palest lavender to deepest violet.
- CEANOTHUS cyaneus. This beautiful "Wild Lilac" was discovered only a few years ago in San Diego County. We have grown it before but always sold out before price list was issued. It is of rapid growth and bears a tremendous profusion of flower spikes up to 10 or 12 inches long. Color is the deepest imaginable blue. One of the best introductions in years.
- COTONEASTER harroviana. Surpasses all other Cotoneasters in the profusion of red berries.
- COTONEASTER praecox. Growth is semi-prostrate, about like C. horizontalis but has some what larger leaves with wavy margins. Its greatest merit is in the large red berries which are colored by the end of June long before any other has even started to color. It has been greatly admired by all who have seen it here. Stock very limited.
- COTONEASTER pyrenaica. A rare and little known species. Perfectly evergreen, leaves very small and growth directly downward so that it is usually top-grafted. Particularly good for Japanese Gardens, rockwork, etc.
- COTONEASTER Standards. By top grafting the various Cotoneasters on straight stems at various heights a unique effect is obtained. This is particularly striking in the prostrate varieties such as C. horizontalis, microphylla, prostrata, pyrenaica, etc.
- CYTISUS scoparius andreanus. This is the striking variety which has yellow and mahogany red flowers. Our grafted stock is very limited but a large percentage of the seedlings offered will come true.
- EUCALYPTUS erythronema, pyriformis, tetraptera and torquata. These are all new red flowering species. Erythronema is absolutely hardy here and has bloomed freely. We think the others are also hardy, but have not tested them so thoroughly.
- PHOTINIA arbutifolia. Toyon, Christmas Berry, California Holly. Although extremely popular this is very difficult to grow successfully for the first two years from seed. By careful study we have mastered the process and have by far the largest stock in the country.
- PHOTINIA serrulata nova. Raised from seed imported from China. It is quite distinct from the Photinia serrulata we have had for years in California. Leaves have slightly prickly margins, new growth is coppery and the whole appearance is very attractive indeed. Ought to become very popular. Sales have been so heavy that we can offer only small plants.
- PITTOSPORUM phillyraeoides. Willow Pittosporum. Although very popular in Southern California it is almost unknown in other parts of the State. It is absolutely hardy in San Jose with a usual winter temperature of 24 degrees so will thrive in most sections of California. Has the appearance and habit of an evergreen Weeping Willow.
- RAPHIOLEPIS indica rosea. A form of Raphiolepis indica with pink flowers about the color of a Testout rose. Originated here as a chance seedling and propagated by grafting. Hitherto our entire output has been taken by two or three customers but we now have a larger stock.
- STRANVAESIA davidiana. Introduced by U. S. D. A. Growth is very vigorous. Bears large clusters of red berries. Perfectly hardy.
- TEMPLETONIA retusa. Not a novelty, but scarce and very little known. A leguminous shrub with attractive foliage bearing coral red, somewhat peashaped flowers over an inch long.

FOR A STATE OF THE STATE OF THE

FLOWERING FRUIT TREES

- WEEPING APRICOTS, CHERRIES and PEACHES. These are all very novel and striking trees. The Apricots and Peaches are extremely rare.
- JAPANESE FLOWERING CHERRIES. Although we have specialized in these trees for years and have probably the largest collection of varieties in this country, demand has been so great that we have usually sold out before price list was issued. We are now propagating them more heavily and only a few kinds are sold. The others are offered herein with very brief descriptions. If you wish more complete information write for our Descriptive Cherry Circular.
- **PEACH San Jose Pink.** Offered for the first time. Flowers double pink of medium size. It is far earlier than any other peach in our collection which should make it extremely valuable for commercial cutting.
- PLUM blirieana. Not at all a novelty on the Pacific Coast as we introduced it from Europe in 1917. But as it seems to be entirely unknown in the East we mention it here. Has purple leaves like P. pissardi and beautiful rich pink, full double flowers which are produced very early. Splendid for cutting.

DECIDUOUS TREES

- BETULA pendula youngi. Young's Weeping Birch. Has the usual white trunk. Entirely different from Cut-leaf Birch. The main branches are very drooping and tree is entirely free from formality or stiffness.
- CRATAEGUS, Hawthorn. Eastern customers are buying these beautiful trees from us more heavily each year. Conditions here seem ideal for their production. The branched trees have perfectly straight trunks and well developed heads.
- KOELREUTERIA integrifolia. A new species of Golden Rain Tree from China Beautiful bipinnate foliage and large clusters of yellow flowers.
- MORUS alba pendula. Tea's Weeping Mulberry. A well known tree We have a fine stock of excellent trees.
- POPULUS tremula pendula. Weeping Poplar. Top grafted on erect stems it makes a very picturesque tree. A table with benches is often built around the trunk. Very striking when in bloom as the catkins are several inches long.
- SALIX babylonica annularis. Ringleaf Weeping Willow. Not new but rare. Growth more erect than Common Weeping Willow but with same drooping branches as it attains age. Its marked characteristic is the shape of the leaves. Each one is curled into a complete circle or ring giving the tree a most unusual and attractive appearance.
- **SORBUS aucuparia pendula.** The weeping form of Mountain Ash is rare and of very striking appearance.

DECIDUOUS SHRUBS

- FORSYTHIA intermedia spectablis. Far ahead of the older Forsythias. Will outbloom any of them two to one. The color is a deep golden yellow, not pale like most. Further, it has long erect shoots which are covered with flowers the second year. Not only a fine garden shrub but should be very valuable for those who grow cut flower material for the florist trade
- SPIREA froebeli. Has flower clusters of same size, shape and color as Anthony Waterer (deep wine red) but is a much more vigorous grower hence decidedly less expensive.
- LILACS. Our list is "boiled down" by continued selection from about 150 varieties which we have tested. We have dropped all but the very best of the older varieties as the newer ones are so far superior. There is no use of being satisfied with inferior sorts 30 or 40 years old when this magnificent collection is available. We offer the latest European novelties including several of the new "Early Flowering Lilacs," a distinct race which flower two or three weeks ahead of the ordinary type. A marked feature of most of these is their great vigor. Due to their long stems, earliness and habit of bearing flowers well above the foliage they are of the greatest value for commercial cutting. For descriptions, see page 22.

CLIMBERS

- WISTERIA multijuga rosea. Pink Wisteria. Our stock is guaranteed to be absolutely genuine pink,
- WISTERIA sinensis. There is much complaint about Wisterias not blooming for years after planting. Much of this is due to planting seedlings. Even grafts are slow unless properly handled in the nursery. We have solved this problem and guarantee that at least 75% of our 3 year and 4 year grafts of this variety will bloom at once in Spring 1930.

MISCELLANEOUS

HESPEROYUCCA whipplei. This is our native yucca whose enormous flower spikes lend so much beauty to the foothill region of southern California. Is not long in coming into bloom. Flower spikes often 10 or 12 ft. tall with hundreds of flowers.

CONIFERS

Unless otherwise noted all plants in this section will be balled at prices quoted.

See page 2	each rate	10 rate	100 rate
ABIES concolor, White Fir		\$1.25	rate
ARAUCARIA imbricata, Monkeypuzzle 5 in. por, 8 to 10 in		.75	.60
CALLITRIS quadrivalvis, Arar-Tree 2½ in. pot., 6 to 8 in	.25	.20	.15
CEDRUS atlantica, Atlas Cedar	2 50	2.00	
2½ to 3 ft	2.00	1.50	
1½ to 2 ft	1.25	1.00	.75
1 to 1½ ft	.30	.75 .25	.20
atlantica glauca. Blue Atlas Cedar			
2 to 2½ ft	2.00 1.25	1.50 1.00	
deodara, Deodar			
8 to 9 ft		4.00	3.50
6 to 7 ft	3 50	3.50 3.00	3.00 2.50
5 to 6 ft	3.00	2.50	2.25
5 to 6 ft	2.75	2.25	
3 to 4 ft	1.75	1.75 1.25	
4 in. pot, 1 to 1½ ft	.50	.35	.30
4 in. pot, 8 to 12 in	.40	.30	.25
	.35	.25	.20
deodara repandens, Spreading Deodar	1.00	.75	
	1.00	./5	
CEDRUS libani, Cedar of Lebanon 2 to 3 ft	2.00	1.50	1.25
1 1/6 to 2 ft	1.25	1.00	.75
1 to 1½ ft. 3 in. pot, 4 to 8 in	1.00	.75	.60
	.30	.25	.20
CHAMAECYPARIS lawsoniana alumi, Scarab Cypress 5 to 6 ft	6.00	5.00	
1 to 5 ft	5 00	4.00	
3½ to 4 ft	4.00	3.00	
3½ to 4 ft 3 to 3½ ft 2½ to 3 ft	3.00	2.50	
		2.00 1.50	1.25
1 ½ to 2 ft	1.50	1.00	.75
1 ½ to 2 ft	1.00	.75	.60
lawsoniana erecta viridis Green Column Cypress			
3½ to 4 ft	3.00	2.50	
3 to 3½ ft	2.50	2.00 1.50	1.25
2 to 2½ ft	1.75	1.25	1.00
1½ to 2 It	1.25	1.00	.75
1 to 1½ ft	1.00	.75	.60
lawsoniana elegans, Silver Variegated 8 to 12 in	.75	.60	
	.,,,	.00	
lawsoniana nidifera, Birdsnest Cypress 18 to 20 in	1.75	1.50	
lawsoniana Silver Queen			
5 to 6 ft	3.00	2.00	
4 to 5 ft	2.50	1.75 1.50	
3 to 4 ft	2.00	1.50	
2 to 3 ft	1.50	1.25 1.00	
1 to 1½ ft	1.00	.75	
lawsoniana stewarti			
2 to 216 ft	2.50	2.00	
1½ to 2 ft	2.00	1.50	1.25
	1.50	1.25	1.00
lawsoniana Triomphe de Boskoop	2.00	1.50	
2 to 2½ ft	1.50	1.25	1.00
1 to 1½ ft	1.25	1.00	.75

	each rate	10	100
CHAMAECYPARIS—Continued	rate	rate	rate
lawsoniana wisseli, Wissel Cypress			
2 to 2½ ft	2.50	2.00 1.50	1.25
1 to 1½ ft	1.50	1.25	1,20
pisifera aurea, Golden Sawara Retinospora			
4 to 4½ ft 3 to 3½ ft 1 to 1½ ft	2.50	3.50 2.00	
1 to 1½ ft	1.25	1.00	
CRYPTOMERIA japonica elegans, Plume Cryptomeria			
2 to 3 ft	1.25	.75 .40	
		.10	
CUPRESSUS arizonica, Arizona Cypress 5 in. pot, 3 to 4 ft	.60	.40	.35
chinensis S. P. I. 56305 (new) 4 in. pot, 1½ to 2 ft			
	.75	.60	.50
glabra stricta, Blue Italian Cypress (new)	2.25	1.75	1.50
4 to 5 ft	2.00	1.75 1.50	1.50 1.25
2 to 3 ft	1.50	1.25	
4 in. pot, 1 to 1½ ft		.40	
macnabiana, Macnab Cypress 5 in. pot, 4 to 5 ft	.75	.60	.50
sempervirens stricta, Columnar Italian Cypress	., 0	.00	.50
8 to 9 ft	4.50	3.50	
/ to 8 it	3.50	2.50 1.75	1 50
6 to 7 ft	2.50	1.75	1.50 1.25
4 to 5 ft	1.50	1.25	1.00
3 to 4 ft	1.25	1.00	.75 .30
0 to / it	.40	.30	.25
en Silverenray Weening Cypress (new)			
1½ to 2 ft	1.25	1.00	
1 to 1½ ft	1.00	.75 .60	
5 in. pot, 1 to 1½ ft	./3	.00	
JUNIPERUS bermudiana, Bermuda Redcedar 4 in. pot. 4 to 8 in	.50	.40	.35
chinensis albo-variegata, Whiteleaf Chinese Juniper			
4 in. pot, 6 to 8 in	.65	.50	.40
chinensis columnaris			40
4 in. pot, 6 to 8 in	.65	.50	.40
chinensis foemina 2 to $2\frac{1}{2}$ ft	2.00	1.75	
chinancia ofitzazione Dittar Innines			
2 to 3 ft	2.50	2.00	
1½ to 2 ft	2.00	1.50	
1 to 1½ ft	.65	1.00	.40
communis hibernica, Irish Juniper 4 in. pot, 6 to 10 in	.65	.50	.40
japonica (chinensis procumbens), Japanese Creeping Junipe	r		
4 in. pot, 6 to 8 in	.75	.60	.50
	.65	.50	.40
japonica aurea (chinensis procumbens aurea).			
Golden Japanese Creeping Juniper 4 in. pot, 6 to 10 in	.75	.60	.50
sahina Savin Juniner			
3 to 4 ft	3.00	2.50	
sabina tamariscifolia, Tamarix Savin	1 50	1.25	
12 to 15 in	1.50	1.25	
squamata meyeri, Meyer Juniper (new) 6 to 8 in	1.00	.85	
virginiana glauca, Silver Redcedar 4 in. pot, 6 to 8 in	.65	.50	.40
virginiana kosteriana			
4 in. pot, 6 to 10 in	. 75	.60	
sp. Wilson's Weeping Juniper 4 in. pot, 6 to 8 in	.65	.50	.40
4 In. pot, 0 to 0 In	.03	.50	.40

	ach rate	10 rate	100 rate
LIBOCEDRUS decurrens, California Incense-Cedar 5 in. pot, 1½ to 2 ft			Tate
5 in. pot, 8 to 12 in	.75 .50	.60 .35	
PICEA excelsa, Norway Spruce 3 to 4 ft	3.50	2.00	
PINUS armandi, Armand Pine	3.50	3.00	
3 to 4 ft	2.00	1.50	
		1.25 .75	
1 to 1½ ft	.60	.50	
canariensis, Canary Pine 4 in. pot, I to 1½ ft	.40	.30	25
2½ in. pot, 8 to 12 in	.20	.15	.25 .10
lambertiana, Sugar Pine 4 in. pot, 6 to 8 in	.40	.30	
montana mughus, Mugho Pine 4 in. pot, 3 to 4 in	•40		
4 in. pot, 3 to 4 in	.50	.40	.30
pinea, Italian Stone Pine 4 in. pot, 1 to 1½ ft. 4 in. pot, 8 to 12 in. 3 in. pot, 6 to 8 in.	.50	.40	
4 in. pot, 8 to 12 in	.40 .25	.30	15
ponderosa. Western Yellow Pine	.25	.20	.15
ponderosa, Western Yellow Pine 5 in. pot, 1½ to 2 in 5 in. pot, 1 to 1½ ft	.50	.40	20
dt-a- M-manus Disa		.35	.30
4 in. pot, 1 to 1½ ft	.40	.30	.25
4 in. pot, 8 to 12 in	.35	.25 .15	.20
tanyosho globosa, Japanese Table Pine	.20	.10	.10
tanyosho globosa, Japanese Table Pine 3 in. pot, 3 to 6 in	.35	.25	.20
PODOCARPUS macrophylla, Yew Podocarpus 4 in. pot, 1 to 1½ ft	.65	.50	.40
		.00	.10
PSEUDOTSUGA douglasi, Douglas Fir 4 in. pot, 8 to 12 in	.50	.40	.30
SEQUOIA gigantea, Giant Sequoia		60	50
SEQUOIA gigantea, Giant Sequoia 4 in. pot, 1 to 1 ½ ft	.75 .65	.60 .50	.50 .40
gigantea pendula, Weeping Giant Sequoia	2 70	2.00	
gigantea pendula, Weeping Giant Sequoia 1½ to 2 ft. 1 to 1½ ft. 8 to 12 in	2.50	2.00 1.50	
8 to 12 in	1.50	1.25	
sempervirens, Redwood	.75	.60	.50
1 gal. can and 5 in. pot, 3 to 4 ft	.60	.40	.30
2½ in. pot, 1 to 1½ ft	.25	.20	.15
TAXODIUM mucronatum, Montezuma Cypress 4 in. pot, 1½ to 2 ft	.50	.35	.30
TAXIIS baccate festigiate Irish Yew			
2 to 2½ ft	4.00 3.00	3.00 2.25	
THUYA occidentalis ericoides, Heath Retinospora	0.00	2.20	
2 to 3 it	1.25	1.00	
occ. pyramidalis, American Pyramidal Arborvitae	3.00	2.50	
3½ to 4 ft	2.50	2.00	
2 to 2½ ft	1.75	1.25 1.00	1.00 .85
orientalis aurea nana, Berkmans Golden Arborvitae	1.20	1.00	.00
30 to 36 in	4.00	2.50 2.25	
24 to 30 in	3.00	2.25 1.00	
8 to 10 in	1.00	.85	
orientalis beverleyensis			
4½ to 5 ft 4 to 4½ ft 3 to 3½ ft	4.00	4.00 3.50	
3 to 3½ ft	2.50	2.00	
2½ to 3 ft	2.25	1.75	1.50
2 to 2½ ft	1.50	1.50 1.25	1.00
1 to 1½ ft	1.25	1.00	.85
orientalis decussata (Retinospora sieboldi)		1,25	
TSUGA mertensiana, Mountain Hemlock	1.30		
TSUGA mertensiana, Mountain Hemlock 4 in. pot, 8 to 12 in	.40	30	

BROAD LEAVED EVERGREENS

Unless otherwise noted all plants in this section will be balled at prices quoted.

See page 2	each	10	100
ABELIA grandiflora, Glossy Abelia	rate	rate	rate
5 to 6 ft	2.00	1.25	1.00
4 to 5 ft	1.50	1.00	.75
3 to 4 ft	1.25	.85	.65
	40	.30	.25
ACACIA armata, Kangaroo Thorn 4 in. pot, 2 to 3 ft	.40	.30	.25
baileyana, Cootamundra Wattle			
6 in. pot, 4 to 4 ½ ft	1.00	.75	70
4 and 5 in. pot 2 to 3 ft	65	.60 .50	.50 .40
4 and 5 in. pot, 1 1/2 to 2 ft	.50	.40	.30
4 and 5 in. pot, 1 to 1½ ft	.40	.30	.25
cultriformis, Knife Acacia 5 in. pot, 4 to 5 ft	.65	50	
5 in pot, 3 to 4 ft	.50	.50 .40	
) in. pot, 2 to 3 ft	40	.30	.25
4 in. pot, 1 to 1½ ft	.30	.25	.25
decurrens dealbata (mollissima), Silver Wattle			
1 gal. can, 6 to 8 ft	.85	.65	.50
5 in. pot, 4 to 6 ft	.65	.50	.40
4 in pot 2 to 3 ft	.50 .40	.35	.30
4 in. pot, 3 to 4 ft	.35	.25	.20
latifolia, Broadleaf Acacia			
4 in. pot. 4 to 5 ft	.65	.50	.40
4 in. pot, 4 to 5 ft. 4 in. pot, 2 to 3 ft. 4 in. pot, 1½ to 2 ft.	.40	.30	.25
4 in. pot, 1½ to 2 ft	.35	.25	.20
melanoxylon, Blackwood Acacia			
4 in. pot, 4 to 5 ft	.65 .50	.50	.40
4 in. pot, 2 to 3 ft	.40	.35	.25
4 in. pot, 1½ to 2 ft	.35	.25	.20
neriifolia (floribunda), Bald Acacia 4 in. pot, 4 to 5 ft			
4 in. pot, 4 to 5 ft	.65	.50	.40
4 in. pot, 3 to 4 ft	.50	.35	.30
4 in. pot, 2 to 3 ft	.40 .35	.30	.25
verticillata, Star Acacia			
5 in. pot, 4 to 5 ft	.50	.40	.35
ARBUTUS andrachne 4 in. pot, 6 to 10 in	.50	.35	
	.50	.50	
menziesi, Madrone 5 in. pot, 15 to 18 in	.75	.60	.50
5 in. pot, 12 to 15 in	.65	.50	.40
5 in. pot, 10 to 12 in	.50	.40	.35
unedo, Strawberry Tree			
6 to 8 ft	2.50	1.50 1.25	
4 to 6 ft	1.50	1.00	
2 to 3 ft		.75	
ARCTOSTAPHYLOS pungens, Manzanita			
4 in. pot, 8 to 12 in	.50	.40	.35
AUCUBA japonica, Japanese Aucuba	14		
4 and 5 in. pot, 6 to 8 in	.35	.25	
AZARA microphylla, Boxleaf Azara 4 in. pot, 1 to 1½ ft	.40	.30	.25
BERBERIS darwini, Darwin Barberry			
4 and 5 in. pot, 1 to 1½ ft	.40	.30	.25
4 and 5 in. pot, 1 to 1½ ft 4 in. pot, 8 to 12 in	.20	.15	.20
knighti			
4 to 5 ft		2.00	
2 to 3 ft	1.50	1.25	1.00
1 to 1½ ft 8 to 12 in	.75	.75 .60	
4 in. pot, 6 to 10 in	.40	.30	.25

	each	10	100
BERBERIS—Continued	rate	rate	rate
laevis 2 to 3 ft	1 25	1.00	
2 to 3 ft	1.25 1.00	1.00 .75	
	.40	.30	
verruculosa, Warty Barberry (new) 4 in. pot, 6 to 10 in	.50	.40	.35
viridis 3 in. pot, 6 to 10 in	.25	.20	.15
wilsonae, Wilson Barberry	. 20	.20	.13
3 to 4 ft	2.00	1.50	
2 to 3 ft	1.25	1.00 .75	.75 .60
4 in. pot, 1½ to 2 ft	.40	.30	.25
1½ to 2 ft	.25	.25 .20	.15
BUDDLEIA farquhari 5 in. pot, 4 to 6 ft		.40	
		• 10	
lindleyana, Lindley Butterflybush 4 in. pot, 2 to 3 ft	.50	.35	
BUXUS sempervirens, Common Boxwood Pyramids			
34 to 38 in		3.00	
30 to 34 in	3.00	2.50 2.00	
22 to 26 in	2.25	1.75	
Globes			
18 to 20 in	1.50	1.50 1.25	
12 to 15 in	1.25	1.00	
	1.00	.75	
CAMFLLIA japonica, Common Camellia Clarke Red (double red)			
4 in. pot, 6 to 8 in	.75 .60	.60 .50	
Pink Perfection (double pink)			
4 in. pot, 8 to 10 in	1.00	.75	
		.60	
CASUARINA stricta, Beefwood 5 in, pot, 2 to 4 ft	.50	.40 .30	
5 in. pot, 2 to 3 ft	.40	.30	
CEANOTHUS—Wild Lilac arboreus			
2½ in. pot, 6 to 10 in	.20	.15	.12
	.15	.12	.10
arboreus hybridus 4 in. pot, 4 to 5 ft	65	.50	.40
4 in pot 3 to 4 ft	.50	.40	.35
4 in. pot, 2 to 3 ft	.40	.35 .30	.25
4 in. pot, 1½ to 2 ft	.20	.15	.12
cyaneus (new, deep blue)	.75	.60	
4 in. pot, 2 to 2½ ft	40	.30	.25
	.25	.20	.15
spinosus 4 in. pot, 4 to 5 ft	.65	.50	.40
4 in. pot, 4 to 5 ft. 4 in. pot, 3 to 4 ft. 2½ in. pot, 1 to 1½ ft.	.50	.40	.35
	.20	.13	.12
CHOISYA ternata, Mexican-Orange 3 to 4 ft	1.50	1.25	
2 to 3 ft	1.25	1.00 .75	.65
1½ to 2 ft	.75	.60	
CHORIZEMA ilicifolium 4 in. pot, 1 to 1½ ft	.40	.30	.25
CISTUS albidus, Whiteleaf Rockrose 4 in. pot, 2 to 3 ft	.35	.25	.20
			.20
COPROSMA baueri, Coral Coproma 4 in. pot, 1 ½ to 2 ft	.40	.30	.25
4 in. pot; 1 to 1½3 it	.35	.25	,20

To Eastern Nurserymen

30

Please look carefully through enclosed price list.

Many items are so readily grown in California that it is cheaper to get them from here than to raise or buy them elsewhere.

California may seem a long way off, but freight is not serious on deciduous stock. Furthermore, while we cannot promise to do so in all cases, we are very often able to combine different orders and give to all the benefit of carload rate which is identically the same TO ANY POINT EAST OF THE ROCKIES.

We particularly call your attention to the following: Japanese Cherries, erect and weeping; Schwedler Maples; Cutleaf and Young's Weeping Birch; Hawthorns of various kinds; Weeping Mulberries; Lilacs and grafted Wisterias. Also please be sure to read pages 2 and 3, which you will undoubtedly find of interest.

We solicit inquiries for anything in the nursery line produced on the Pacific Coast.

W. B. CLARKE & SON, San Jose, Calif.

- Admin Minning			
abilities (Blands and Constitution)			
1			

r	ach	10 rate	100 rate
CORNUS capitata, Evergreen Dogwood	40	70	
4 in. pot, 1 ½ to 2 ft	.40	.30	
3 in. pot. 1 to 1 ½ ft	.30	.20	.15
CODONIII I A -lucas Hanny Conspilla			
4 in pot 3 to 4 ft	.50	.40	.30
CORONILLA glauca, Honey Coronilla 4 in. pot, 3 to 4 ft	.40	.30	.25
account occupation of the company of			
3 to 4 ft	1.00	.75	.60
2 to 3 ft	.75	.60	.50
13½ to 2 ft	.65	.50	.45
1 to 132 It	.60	.45	.15
3 to 4 ft. 2 to 3 ft. 13/2 to 2 ft. 1 to 1 1/2 ft. 2 to 3 jt. 2 to 3 ft. 2 to 3 ft. 2 to 3 ft. 2 to 3 ft. 2 to 1 1/2 ft. 2 to	.20	.15	.10
4 to 6 ft	1.75	1.25	1.00
3 to 4 ft	1.50	1.00	
		.75	.60
1 32 to 2 It	./5	.60 .30	.50
4 in. pot, 136 to 2 ft	.35	.25	.20
1 32 to 2 ft	.25	.25	.15
harroviana			
6 to 8 ft	2.50	2.00	1.50
4 to 6 ft	2.00	1.50	1.25
1 to 114 ft	7.00	.75 .60	.50
21% in. pot. 11% to 2 ft	.25	.20	.15
2½ in. pot, 1 to 1½ ft	.20	.15	.12
1 to 1½ ft 2½ in. pot, 1½ to 2 ft 2½ in. pot, 1 to 1½ ft 2½ in. pot, 6 to 12 in	.15	.12	.10
horizontalis			
4 in. pot, 6 to 8 in	.30	.25	.20
microphylla, Rockspray			
3 to 3½ ft	2.00	1.50	
2½ to 3 ft	1.50	1.25	
1 to 114 ft	75	.60	
2 to 2 ½ ft	.65	.50	
4 in. pot, 1½ to 2 ft	.40	.30	.25
4 in. pot, 1 to 1½ ft	.35	.25	.20
microphylla thymifolia, Thyme Rockspray 4 and 5 in. pot, 8 to 10 in			
	.40	.30	
pannosa, Silverleaf Cotoneaster			
6 to 8 ft	2.00	1.75 1.25	
3 to 4 ft	1.25	1.00	.85
4 in. pot, 3 to 4 ft	.60	.40	.35
4 in. pot, 2 to 3 ft	.50	.35	.30
4 in pot 1 to 11/6 ft	35	.30	.25
2½ in. pot, 1 to 1½ ft	.25	.20	.15
6 to 8 ft	.20	.15	.12
pannosa nana. Dwarf Silverleaf Cotoneaster (new)			
1 ½ to 2 ft	1.00	.75	
1 to 1½ ft	.75	.60 .50	
	.03	.50	
praecox (new) 5 in. pot, 1 to 1½ ft	.75	.60	
	./3	.00	
prostrata 2 to 3 ft	1.00	.75	
13½ to 2 ft	.75	.60	
2 to 3 ft 1½ to 2 ft 4 in. pot, 6 to 8 in	.40	.30	.20
pyrenaica, Pyrenees Cotoneaster 4 in. pot, 1 to 1½ ft	.50	.40	
simonsi, Simons Cotoneaster 4 in. pot, 2 to 3 ft	.40	.30	.25
COTONEASTER, Standards, top grafted			
francheti			
5 in. pot, 3 ft. stem, 2 yr. head	1.25	1.00	
hamariana			
harroviana 5 in. pot. 5 ft. stem 2 yr. head	2.00	1.50	
5 in. pot, 5 ft. stem, 2 yr. head	1.75	1.25	
5 in. pot, 3 ft. stem, 2 yr. head	1.50	1.00	

COTONEASTER, Standards, top grafted—Continued horizontalis 5 in. pot, 3 ft. stem, 2 yr. head	5
5 in. pot, 3 ft. stem, 2 yr. head. 1.50 1.00 5 in. pot, 2 ft. stem, 2 yr. head. 1.25 .85 .75 microphylla 5 in. pot, 3 ft. stem, 2 yr. head. 1.50 1.00 5 in. pot, 2 ft. stem, 2 yr. head. 1.25 .85	5
5 in. pot, 3 ft. stem, 2 yr. head	
microphylla thymifolia 5 in. pot, 3 ft. stem, 2 yr. head	
nannasa	
5 in. pot, 5 ft. stem, 2 yr. head. 2.00 1.50 5 in. pot, 4 ft. stem, 2 yr. head. 1.75 1.25 5 in. pot, 3 ft. stem, 2 yr. head. 1.50 1.00	
praecox 5 in. pot, 4 ft. stem, 1 yr. head	
5 in. pot, 4 ft. stem, 1 yr. head	
prostrata	
5 in. pot, 3 ft. stem, 2 yr. head	
pyrenaica 5 in. pot, 3 ft. stem, light head	
5 in. pot, 2 ft. stem, 2 yr. head	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	5
4 in. pot, 3 to 4 ft	0
4 in. pot, 2 to 3 ft	
	0
maderensis magnifoliosus (stenopetalus) Leafy Madeira Broom	
4 in. pot, 3 to 4 ft	0 5
multiflorus albus 4 in. pot, 1 to 1½ ft	5
praecox albus (grafted) 4 in. pot, 1 to 1½ ft	
praecox luteus (grafted)	^
Total Promise	U
f in. pot, 12 to 15 in. (compact)	5 5
annuite and annual Danding Danna	
4 in. pot, 1½ to 2 ft., grafted	
3 in. pot, 3 to 4 ft., seedlings	
$2\frac{1}{2}$ in. pot, 1 to $1\frac{1}{2}$ ft., seedlings	0
DIOSMA ericoides, Breath-of-Heaven 4 in. pot. 10 to 15 in	5
100SMA ericoides, Breath-of-Freeven 4 in pot, 10 to 15 in	
reevesi 4 in. pot, 8 to 12 in	0
ERICA King Edward 15 to 18 in	
mediterranea 12 to 15 in	
mediterranea hybrida 10 to 12 in	
melanthera, Black-Eyed Heath 3 to 3½ ft	
3 to 3 ½ ft 2.00 1.50	0
regerminans 15 to 18 in	

	each rate	10 rate	100 rate
ERIOBOTRYA japonica, Loquat	1.50	1.25	. 00
5 to 6 ft	1.50	1.25 1.00	1.00
4 to 5 ft	1.00	.75	.65
2 to 3 ft	75	.60	
5 in. pot, 2 to 3 ft	50	.40	
ESCALLONIA montevidensis, Montevideo Escallonia 5 in. pot, 1½ to 2 ft			
5 in. pot. 11/2 to 2 ft	.50	.35	.30
5 in. pot, 1 to 1½ ft	40	.30	.25
rosea, Rose Escallonia			
4 in. pot, 1½ to 2 ft	.40	.30	. 25
rubra glabriuscula, Red Escallonia	1.00	.75	
1½ to 2 ft	.75	.60	
2 to 3 ft	40	.30	.25
4 in. pot, 1 to 1½ ft	35	.25	.20
sanguinea			
4 in. pot, 1½ to 2 ft	40	.30	.25
FIICAL VPTIIS eruthronema (new)			
4 in. pot, 3 to 4 ft	1.00	.75	
2½ in. pot, 4 to 8 in	30	.25	.20
leucoxylon rosea, Pink Ironbark			
2½ gal. can, 6 to 8 ft., heavy	1.50	1.25	
5 in. pot, 4 to 6 ft	65	.50	.40
pyriformis (new)			
4 in. pot, 2 to 3 ft	75	.60	
	, 0	.00	
tetraptera (new)	75		
4 in. pot, 1½ to 2 ft	. .7 5	.60	
torquata (new)			
4 in. pot, 2 to 3 ft	75	.60	
EUONYMUS japonicus, Evergreen Burningbush			
4 in. pot, 1 to 1½ ft	35	.25	
japonicus albovariegatus			
2 to 3 ft	1.00	.75	.60
1½ to 2 ft	75	.60	
1 to $1\frac{1}{2}$ ft	65	.50	
l gal. can, 1 to 1½ tt	50	.40	
japonicus Duc d'Anjou			
japonicus Duc d'Anjou 1 gal. can, 1½ to 2 ft	50	.40	
japonicus microphyllus albo-marginatus			
12 to 15 in	75	.60	
8 to 12 in	65	.50	
GENISTA elatior			
4 and 5 in. pot, 1 to 1½ ft	35	.25	.20
GREVILLEA robusta, Silk-Oak	75	.60	.50
5 in. pot. 4 to 5 ft	65	.50	.40
5 in. pot, 5 to 6 ft	40	.30	.25
HYPERICUM moserianum, Goldflower			
4 in. pot, 1 to 1½ ft	40	.30	.25
patulum henryi, Henry Hypericum 4 in. pot, 3 to 4 ft	35	.25	.20
		.20	.20
patulum grandiflorum	0.5	25	20
4 in. pot, 2 to 3 ft	35	.25	.20
ILEX aquifolium, English Holly 2½ and 3 in. pot, 4 to 6 in			
2½ and 3 in. pot, 4 to 6 in	25	.20	.15
LAUROCERASUS caroliniana, Carolina Laurel			
4 in. pot, 1½ to 2 ft	40	.30	.25
4 in. pot, 1½ to 2 ft	35	.25	.20
3 in. pot, 1 to 1½ ft	30	.20	.15
LAURUS nobilis, Grecian Laurel		1	
4 in. pot, 1 to 132 ft	40	.30	
		.25	
LEONOTIS leonurus, Lions Ear 6 in. pot, 1½ to 2 ft			
6 in. pot, 1½ to 2 ft	40	.30	
LEPTOSPERMUM chapmani			
4 in. pot, 1 to 1½ ft	40	.30	.25
4 in. pot, 8 to 12 in	30	.25	.20

	each rate	10 rate	100 rate
LEPTOSPERMUM—Continued		rate	rate
laevigatum, Australian Tea-Tree 4 and 5 in. pot, 4 to 5 ft	60	.40	25
4 in. pot, 3 to 4 ft	.60 .50	.35	.35
4 in. pot, 2 to 3 it	.40	.30	.25
LEUCADENDRON argenteum, Silver-Tree 3 in. pot, 6 to 10 in	.50	.40	
LIGUSTRUM lucidum aureo-marginatum			
Golden Japanese Privet 2 to 3 ft	1.00	.75	
ianonicum		.,,	
4 to 6 ft	1.25	1.00	
3 to 4 ft	.75	.75 .60	
macrophyllum			
3 to 4 ft	1.25	1.00	
ovalifolium variegatum, Golden California Privet		., 0	
6 to 8 ft	1.50	1.25 1.00	
4 in. pot, 1½ to 2 ft	.35	.25	.20
LONICERA nitida, Box Honeysuckle			
4 to 5 ft	1.25	1.00	.60
2 to 3 ft	.75	.75 .60	.50
1½ to 2 ft	.65	.50 .25	.20
MACNOLIA grandiflara Southern Magnalia			
1 4 5 64	2.50	2.00	
3 to 4 ft	2.00 1.50	1.50 1.25	1.00
1½ to 2 ft	1.25	1.00	1.00
3 to 4 ft. 2 to 3 ft. 1½ to 2 ft. 1 to 1½ ft. 3 in. pot, 6 to 10 in.	.35	.75 .25	.20
MAHONIA aquifolium, Oregon Holly-Grape			
3 to 4 ft	1.75	1.60	1.50 1.25
2 /2 to 3 ft	1.25	1.35 1.10	1.00
2 to 2½ tt. 2 to 2½ tt. 1½ to 2 ft. 1 to 1½ ft.	1.00	.85 .60	.50
bealei (japonica), Leatherleaf Holly-Grape 5 in. pot, 8 to 12 in	.50	.35	.30
MELALEUCA decussata, Lilac Melaleuca 4 in. pot, 3 to 4 ft			
	.40	.30	.25
ericifolia, Heath Melaleuca 4 in. pot, 4 to 5 ft	.40	.30	.25
hypericifolia, Dotted Melaleuca 4 in. pot, 4 to 5 ft	.50 .35	.40 .25	.35
MYRTUS communis, True Myrtle 4 in. pot, 1 to 1½ ft	.40	.30	.25
communis microphylla, Rosemary Myrtle			
4 in. pot, 1 ½ to 2 ft	.50 .40	.35 .30	.30 .25
3 to 4 ft	2.00	1.50	1.25
2 to 3 ft	1.50	1.25	
5 in. pot, 1 to 1½ ft	.65	.50 .35	.30
1 to 1½ ft	.40	.30	.25
NERIUM oleander, Oleander, Double Pink 3 to 4 ft	1 25	1.00	
2 to 3 ft	1.00	.75	
1½ to 2 ft	.75 .65	.60 .50	
Daubla White			
1 gal. can, 2 to 3 ft	.65	.50	

·	each rate	10 rate	100 rate
NERIUM—Continued		race	race
Mrs. Roeding (double salmon) 2 to 3 ft 1 ½ to 2 ft 1 to 1 ½ ft 1 gal. can, 1 ½ to 2 ft			
2 to 3 ft	1.00	.75 .60	.65 .50
1 to 1½ ft	.65	.50	.30
1 gal. can, 1½ to 2 ft	.65	.50	
Prof. Bodkin (single rose)			
Prof. Bodkin (single rose) 2 to 3 it	1.00	.75	
1½ to 2 ft	.65	.60 .50	
PARKINSONIA aculeata, Palo Verde 6 and 8 in. pot, 3 to 4 ft	1.00	.75	
5 in. pot, 1½ to 2 ft	.50	.40	
PHOTINIA arbutifolia, Toyon, Christmas Berry, California Holly 1 gal. can, 3 to 3½ ft			
1 gal. can, 3 to 3½ it	1.25	1.00 .75	.60
5 in. pot and 1 gal. can, 2 to 2½ ft	.75	.60	.50
4 and 5 in. pot, 1½ to 2 ft	.65	.50	40
4 and 5 in. pot, 12 to 15 in	.40	.40 .35	.35
4 and 5 in. pot, 8 to 12 in	.35	.30	.25
serrulata nova (new form)			
4 in. pot, 4 to 6 in	.35	.25	.20
PITTOSPORUM eugenioides, Tarata			
2 to 3 ft	1.00	.75	10
	.20	.15	.10
phillyraeoides, Willow Pittosporum	1 25	1.00	
2 to 3 ft	1.00	1.00 .75	
4 in. pot, 2 to 3 ft	.50	.75 .40	
phillyraeoides, willow Pittosporum 3 to 4 ft	.40 35	.30 .25	.25
	.00	.20	.20
tenuifolium, Tawhiwhi 2½ in. pot, 4 to 8 in	.20	.15	.10
tobira, Tobira 4 to 5 ft	1.50	1.25	
4 to 5 ft 3 to 4 ft 4 in. pot, 8 to 12 in	1.25	1.00	20
		.25	.20
tobira variegatum, Whitespot Tobira 4 in. pot, 8 to 12 in	.50	.40	
4 in. pot, 6 to 8 in	.40	.30	
POLYGALA dalmaisiana, Dalmais Polygala 4 in. pot, 1 to 1½ ft	.40	.30	.25
PRUNUS ilicifolia, Hollyleaf Cherry			
4 in. pot, 8 to 12 in	.35	.25	.20
lyoni, Catalina Cherry			
lyoni, Catalina Cherry 4 in. pot, 8 to 12 in	.35	.25 .20	.20 .15
		.20	.13
PSIDIUM cattleianum, Strawberry Guava 5 in. pot, 1 to 1½ ft	.35	.25	.20
PYRACANTHA angustifolia, Narrowleaf Firethorn			
l gal. can, 2 to 3 ft	.50	.35	.30
l gal. can, 2 to 3 ft	.40	.30	
		.25	.20
coccines lalandi (cuttings), Laland Firethorn 4 in. pot, 2 to 2½ ft	65	.50	.40
5 in. pot and 1 gal. can, 1 to 1½ ft	.65 .50	.40	.30
crenulate Nepal Firethorn			
4 in. pot, 3 to 4 ft	.50	.35	.30
4 in. pot, 2 to 3 ft	.40 .50	.30	.25
4 in. pot, 3 to 4 ft	.35	.35 .25	.20
crenulata flava (new, yellow berries)			
crenulata flava (new, yellow berries) 5 in. pot, 2 to 3 ft	.50 .40	.40 .30	
formosana Formosa Firethorn	.40	.30	
formosana, Formosa Firethorn 4 and 5 in. pot, 3 to 4 ft	.50	.40	.30
4 and 5 in. pot, 2 to 3 ft	.40	.30	.25
4 in. pot, 1½ to 2 it	.35	.25	.20
kansuensis 4 in. pot, 1 to 1½ ft	.40	.30	

	each rate	10 rate	100 rate
PYRACANTHA—Continued	race	Tacc	Tacc
yunnanensis, Yunnan Firethorn			
1 gal. can and 5 in. pot, 3 to 4 ft	50 - .40	.40 .30	.30 .25
3 in. pot, 2 to 3 ft	.35	.25	.20
3 in. pot, 1½ to 2 ft	.25	.20	.15
QUERCUS agrifolia, California Live Oak			
5 in. pot, 4 to 5 ft	.60	.40	.35
4 in. pot. 2 to 3 ft	.50 .40	.35 .30	.30
5 in. pot, 4 to 5 ft	.35	.25	.20
chrysolepis, Golden Cup Oak 5 in. pot, 10 to 15 in		.30	25
RAPHIOLEPIS indica, India Hawthorn	.40	.30	.25
8 to 12 in	.65	.50	
indica rosea, Pink India Hawthorn (new)	60	40	25
4 and 5 in. pot, 8 to 12 in., grafted	.60 .50	.40 .35	.35
			.00
umbellata ovata, Roundleaf Yeddo-Hawthorn 1 to 1½ ft	.75	.60	
8 to 12 in	.65	.50	
RHAMNUS alaternus variegatus, Variegated Italian Buckthorn			
4 in. pot, 1 to 1½ ft	.50	.35	.30
SALVIA leucantha, Mexican Bush Sage	40		
4 in. pot, 1½ to 2 ft		.30	.25
SCHINUS molle, California Peppertree 5 in. pot, 4 to 5 ft	65	50	40
5 in. pot. 3 to 4 ft	.65 .50	.50 .35	.40
5 in. pot, 2 to 3 ft	.40	.30	.25
4 in. pot, 1½ to 2 ft	.35	.25	.20
SOPHORA davidi (new)	# 0	40	
4 in. pot, 1½ to 2 ft	.50 .40	.40 .30	.25
			.20
SPARTIUM junceum, Weavers Broom (Spanish Broom) 4 in. pot, 4 to 5 ft	.65	.50	
4 in. pot, 4 to 5 ft	.35	.50 .25	.20
junceum nanum, Dwarf Spanish Broom 4 in. pot, 1½ to 2 ft	.50	.40	
STERCULIA diversifolia (Bottletree), Black Kurrajong			
1 gal. can, 4 to 5 ft	1.00	.75	
1 gal. can, 4 to 5 ft	.65	.60 .50	.40
STRANVAESIA davidiana (new)			
4 in. pot, 1 to 1½ ft	.40	.30	.25
undulata (rare)			
5 in. pot, 1 to 1½ ft	.65	.50	
TEMPLETONIA retusa (rare), Melbourne Coralbush 4 in. pot, 6 to 10 in	40		
	.40	.30	.25
TRISTANIA conferta, Brisbane Box 5 in. pot, 2 to 3 ft	.50	.40	
	.30	.40	
UMBELLULARIA californica, California-Laurel 4 in. pot, 8 to 12 in	.40	.30	. 25
VERONICA chathamica			
2½ in. pot, 6 to 8 in	.20	.15	
cupressoides	.50	.40	
10 to 12 in	.40	.35	
12 to 15 in	.20	.15	.12
	.15	.12	.10
decussata	.25	.20	.15
2½ in. pot, 2 to 3 ft	.20	.15	.13
hulkeana			
4 in. pot, 2 to 3 ft		.30	.25
imperialis, Imperial Speedwell 2½ in. pot, 2 to 3 ft			
2½ in. pot, 2 to 3 ft	.25	.20	.15
272 III. pot, 1 to 172 ft	.20	.15	.12

	each	10	100
	rate	rate	rate
VERONICA—Continued			
imperialis grandiflora			
2½ in. pot, 1 to 1½ ft	.20	.15	.12
traversi			
10 to 12 in	.65	.50	
8 to 10 in		.40	
2½ in. pot, 8 to 10 in		.15	.12
VIBURNUM odoratissimum, Sweet Viburnum			
4 in. pot, 8 to 12 in	.40	.30	.25
suspensum, Sandankwa Viburnum			
1½ to 2 ft	1.00	.75	.60
i to 1½ ft		.65	.50
tinus, Laurustinus			
2 to 3 ft	1.25	1.00	
1½ to 2 ft		.75	.60
1 to 1½ ft		.60	.50
4 in. pot, 1 to 1½ ft	40	.30	.25
4 in. pot, 8 to 12 in	.35	.25	.20
tinus lucidum, Shining Laurustinus			
2 to 3 ft	1.25	1.00	
1½ to 2 ft		.75	.60
1 to 1½ ft		.60	.50
4 in. pot, 1 to 1½ ft		.35	.30
4 in. pot, 8 to 12 in		.30	.25

FLOWERING FRUIT TREES

All plants in this section will be dug with bare roots.

N. B. Our Almonds, Apricots, Cherries, Peaches and Plums are grown outside of the Peach Root Borer district, so can be shipped anywhere.

See page 3

FLOWERING ALMONDS

AN ANODAY TIO	1 D 11 D: 1 (:)			
AMYGDALUS comm 4 to 6 3 to 4	unis, Double Pink (tree) ftft	.75 .60	.60 .50	
PRUNUS glandulosa Dwarf Double P	trichostyla sinensis, ink Almond			
	ft., 2 year	.65	.50	
	FLOWERING APPLES			
MALUS ioensis bech	hali Doobaal Cook			
6 to 7 2 to 3	ft		1.25	.50
1½ to 2	ft	,65	.50	.40
niedzwetzkyana	Padvain Crah			
10 to 12		1.50	1.25	
8 to 10	ft		1.00	
4 to 6	ft		.60	
La Care Planta Dia	1.			
Large Flesh Pin	ft	1.50	1.25	
8 to 10	ft		1.00	.75
6 to 8	ft		.75	.60
4 to 6	ft		.60	.00
	***************************************	., 0	.00	
	FLOWERING APRICOTS			
PRUNUS mume Daw	on (double pink)			
4 to 6	ft	.75	.60	.50
3 to 4	ft	.65	.50	
Early Double Pi	mlz			
4 to 6		.75	.60	
3 to 4	ft	.65	.50	
Wasning Dad (t				
Weeping Red (t	op worked)	2.00	1.50	
	•••••••••••		1.25	
	**************************************		2,20	

FLOWERING CHERRIES

Descriptions are greatly condensed. For further	er details write for our special	Cherry Ci	rcular
04	each rate	10 rate	100 rate
Group A 4 to 6 ft 3 to 4 ft 2 to 3 ft	2.00 1.75 1.50	1.65 1.35 1.10	1.50 1.25 1.00
Campanulata, single red; earliest of all Daybreak, single pink; next earliest Jugatsuzakura (P. subhirtella autumnalis), single; light pink Kanzan, double pink; very large flowers Kuramayama, double; flesh pink edged carmine Miyako, double white; very large Momijigari, semi double; deep pink Naden, very double; deep pink		wers in lar	ge
Group B (stock very limited) 4 to 6 ft	2.00 1.75 1.50	1.75 1.50 1.25	
Hizakura, double; light pink, early Hosokawa, single white; fragrant Minakemi, single white; fragrant Ochichima, double; pale pink Oshimazakura, single; white Pink Pearl, double; light pink Sekiyama, double pink; probably same as Naden Serrulata spontanea S.P.I. 45178, single white; very early	Serrulata spontanea S.P. pink; early Serrulata spontanea S.P. light pink; early Shiratamazakura, single; l Shirotae (Mt. Fuji), doubl Subhirtella ascendens, si very early Wasinowo, single white; fra	I. 67963, ight pink e; white ngle; ligh	single
WEEPING V	ARIETIES		
Double Pink Weeping Top worked on 5 ft. stem Top worked on 4 ft. stem		2.50 2.25	2.00
Eureka Weeping (Shidarehigan; P. suk	ohirtella pendula)	2.25 1.90 1.75 1.60	1.75 1.50
Park Weeping (flowers dark pink)		1.90 1.75 1.60	1.75 1.60 1.50
Shidareyoshino (flowers single white) Top worked on 5 ft. stem Top worked on 4 ft. stem		1.90 1.60	
FLOWERING			
Weeping Double Red Top worked on 4 ft. stem	1.75	1.25	
Weeping Variegated (flowers white and Top worked on 4 ft. stem	/hau h	1.50	
Novelties and Specialties 4 to 6 ft		1.00 .75	.75 .60
San Jose Pink (double pink and cutting on account of its extreme earli	by far the earliest variety. \		
Versicolored B. (flowers double, red		lor combir	ation.)
General Collection 4 to 6 ft 3 to 4 ft		.75 .60	.60 .50
Burbank, double pink	Double Red, double red		

Burbank, double pink Camelliaflora, double red Double Cerise, double cerise Double Maroon, double maroon Double Red, double red Double White, double white Early Red, double red

FLOWERING PLUMS			
PEOWERING FEOMS	each	10	100
PRUNUS blirieana (leaves purple, flowers double pink)	rate	rate	rate
4 to 6 ft	1.00	.85	.75
3 to 4 ft		.60	
pissardi (leaves purple, flowers single)	1.00	.75	
6 to 8 ft	75	.60	.50
3 to 4 ft	65	.50	
Vesuvius (large purple leaves) 4 to 6 ft	75	60	
4 to 6 ft		.60 .50	
DECIDUOUS TRE	ES		
All plants in this section will be dug with ba See page 3	re roots.		
ACER dasycarpum, Silver Maple			
14 to 16 ft		2.00	
10 to 12 ft 8 to 10 ft		1.25 .85	.75
6 to 8 ft		.75	.60
platanoides, Norway Maple		1 00	
8 to 10 ft		1.00 .75	.75 .60
platanoides schwedleri, Schwedler Maple (purple leaves			
4 to 6 ft		.75	.60
saccharum, Sugar Maple			
10 to 12 ft 8 to 10 ft		1.25 1.00	
6 to 8 ft		.75	
ALBIZZIA julibrissin, Silktree			
4 to b ft		.75 .60	
3 to 4 ft		.50	
BETULA pendula (B. alba), European White Birch			
10 to 12 ft 8 to 10 ft	1 75	1.50 1.25	1.00
b to 8 ft	1.25	1.00	.75
4 to 6 ft	1.00	.75	.60
pendula gracilis, Cutleaf Weeping Birch 12 to 14 ft	3.00	2.50	
10 to 12 ft	2.50	2.00	1.75
8 to 10 ft	2.25	1.75 1.50	1.50 1.25
6 to 7 ft		1.25	1.00
	1.30	1.00	./3
pendula youngi, Youngs Weeping Birch 10 to 12 ft	3.50	3.00	
8 to 10 ft	3.00	2.50	2.25
5 to 6 ft		1.25	1.00 .75
CATALPA speciosa, Western Catalpa			
12 to 14 ft		1.00	60
8 to 10 ft		.75 .60	.60 .50
6 to 8 ft		.50	.40
CRATAEGUS, Hawthorn			
Sizes marked "branched" are two years or more from but well developed heads. One year trees are mainly whips.	d and have		

	6	to 8			.75	.50	.40
TAE	GUS,	Haw	thorn				
				anched" are two years or more from bud and ads. One year trees are mainly whips.	d have		
carr				awthorn			
	Bran	nched,	6 to 8	ft	1.50	1.25	
	Bran	nched.	4 to 6	ft	1.25	.90	.75
	Bran	nched.	3 to 4	ft	1.00	.70	.60
	1 ye	ar. 4 t	o 6 ft		.75	.60	.50
	l ye	ar, 3 t	o 4 ft		.65	.50	.40
cocc	inioi	des					
	Bran	nched.	6 to 8	ft	1.25	1.00	
	Bran	nchedí	4 to 6	ft	1.00	.75	.60
	Bran	ched	3 to 4	fr	.75	.60	.50

	each rate	10 rate	100 rate
CRATAEGUS—Continued	lace	Tace	Tate
cordata, Washington Hawthorn	1.50		
Branched, 6 to 8 ft Branched, 4 to 6 ft	1.50	1.25	.75
Branched, 3 to 4 ft	1.00	.90 .70	.60
Branched, 4 to 6 ft	.75 .65	.60 .50	.50
amic contles Double Dink Double Dink Houthand			
Branched, 8 to 10 ft	2.00	1.50	
1 year 6 to 8 ft	1.50	1.25 .75	.60
1 year, 4 to 6 ft	.75	.60	.50
1 year, 5 to 4 it	.05	.50	
oxyacantha Double White, Double White Hawthorn Branched, 10 to 12 ft	2.50	2.00	
Branched, 10 to 12 ft	2.00	1.50	1.25
Branched, 6 to 8 ft	1.25	1.25	1.00
1 year, 6 to 8 ft	1.00	1.00 .75	.75 .60
	./5	.60	.50
oxyacantha Single White Branched 8 to 10 ft	1.50	1.25	
Branched, 8 to 10 ft Branched, 6 to 8 ft Branched, 4 to 6 ft	1.25	1.00	
Branched, 4 to 6 ft	1.00	.75	.60
oxyacantha splendens, Paul Double Scarlet Hawthorn Branched, 12 to 14 ft	2 50	2.00	
Branched, 10 to 12 ft	2.00	2.00 1.75 1.25	
Branched X to 10 it	1 50	1.25 1.00	1.00 .80
Branched 6 to 8 ft	.75	.60	.50
1 year, 4 to 6 ft	.65	.50	.40
pinnatifida major, Peking Hawthorn (new) Branched, 6 to 8 ft Branched, 4 to 6 ft	1.25	1.00	
Branched, 4 to 6 ft	1.00	.75	
I year, 4 to 6 ft	.75 .65	.60 .50	
FRAXINUS excelsior, European Ash			
8 to 10 ft		.75	.60
6 to 8 ft	.75 .65	.60 .50	.50
velutina, Arizona Ash			
4 to 6 ft		.50 .40	.40
	.30	.40	.00
KOELREUTERIA integrifolia (new), Goldenrain-Tree	.75	.60	
3 to 4 ft	.65	.50	
LABURNUM vulgare, Goldenchain	1.00	75	
6 to 8 ft	.75	.75 .60	
3 to 4 ft	.65	.50	
LIQUIDAMBAR styraciflua, Sweetgum	=0	40	
2 to 3 ft	.50	.40 .30	
MODIIS alba pendula Weening Mulberry			
3 year, 6 ft	2.25	1.75	1.50
3 year, 6 ft	1.75	1.50 1.25	1.25 1.00
2 year, 6 to 7 ft	1.00	.75	.60
PAULOWNIA tomentosa (imperialis), Royal Paulownia		1.00	
4 to 6 ft	1.25	1.00 .75	.75
PISTACIA chinensis, Chinese Pistache			
4 in. pot, 2 to 3 ft	.50	.40	
PLATANUS orientalis, European Planetree, European Sycamore			
14 to 16 ft		2.50 1.75	
10 to 12 ft	1.75	1.75 1.25	1.00
8 to 10 ft\$800 per 1000 6 to 8 ft	1.50	1.00 .85	.90 .75
racemosus, California Planetree, California Sycamore	1.00	.00	.,0
8 to 10 ft		1.25	60
6 to 8 ft	1.00 .75	.75 .60	.50
4 to 6 ft	.60	.50	.40

	ach	10	100
POPULUS alba bolleana, Bolleana Poplar	ate	rate	rate
20 to 24 ft	3.00	2.50	
12 to 14 ft		1.50	
10 to 12 ft	1.50	1.25	
4 to 6 ft		.50	
nigra italica, Lombardy Poplar			
Our trees have never been pruned so are branched down to the	e hase		
making them very desirable for landscape work.			
20 to 24 ft		2.00	1.75
18 to 20 ft	3.00	1.75	1.50
16 to 18 ft	2.50	1.50	1.25
° 14 to 16 ft	2.00	1.25	1.00
12 to 14 ft	1.50	1.00	.90
10 to 12 ft	1.25	.90	.75
8 to 10 ft	1.00	.75	.60
6 to 8 ft	.75	.60	.50
tremula pendula, Weeping Poplar			
Top grafted on 10 ft. stem	2.50	2.00	
Top grafted on 7 ft, stem		1.25	
• •	1.00	1.20	
ROBINIA hispida macrophylla, Smooth Rose Acacia			
Low grafts and buds, 8 to 10 ft	2.00	1.50	
Low grafts and buds, 4 to 6 ft	1.25	1.00	
Low grafts and buds, 3 to 4 ft.		.75	
•			
kelseyi, Kelsey Locust			
10 to 12 ft		1.50	
8 to 10 ft	1.50	1.25	
SALIX babylonica, Babylon Weeping Willow			
6 to 8 ft., light	.75	.60	.50
4 to 6 ft light	./5		
4 to 6 ft., light	.65	.50	.40
babylonica annularis, Ringleaf Willow			
6 to 8 ft	1.00	.75	.60
4 to 6 ft		.60	.50
SORBUS aucuparia, European Mountain-Ash			
8 to 10 ft		1.25	
6 to 8 ft	1.00	.85	.75
aucuparia pendula, Weeping Mountain-Ash			
To actual of the second of the	1 50	1.25	
Top grafted on 6 ft. stem	1.30	1.00	
Low worked and staked up, 0 to 0 it.	1.20	.75	
Low worked and staked up, 4 to 6 ft	1.00	.,,	
TILIA americana, American Linden			
10 to 12 ft	1.50	1.25	
8 to 10 ft	1.25	1.00	
6 to 8 ft		.75	
4 to 6 ft		.60	

PLEASE NOTE

This price list covers only stock offered by Clarke Nursery Co. We also handle many other lines including:

ROSES, Bush and Standard; BULBS; WOODWARDIA ROOTS, REDWOOD BURLS, etc.

For eastern shipment in car lots we offer KENTIAS, PHOENIX (Date Palms), BOXWOOD Globes and Pyramids, GOLDEN ARBOR VITAES and OLEANDERS grown in tubs.

Quotations will be made on request. Address all correspondence to

W. B. CLARKE & SON Box 343, San Jose, Calif.

DECIDUOUS SHRUBSUnless otherwise noted all plants in this section will be dug with bare roots.

See page 3	each	10	100
ARONIA arbutifolia, Red Chokeberry 4 in. pot, 8 to 12 in	rate	rate .25	rate
CAESALPINIA gilliesi (Poinciana), Bird of Paradise	33	.23	
6 to 7 ft	1.00	.75	
4 to 6 ft		.60	
3 to 4 ft		.50 .40	.35
2 00 7 100000000000000000000000000000000	50	.40	.33
CALYCANTHUS floridus, Common Sweetshrub 1 to 1½ ft	65	.50	
CERCIS'chinensis, Chinese Redbud 4 to 6 ft	1.00	75	
4 to 6 ft	65	.75 .50	
2 to 3 ft	.50	.40	
occidentalis, California Redbud 2 to 3 ft	75		
CORNUS kousa, Kousa Dogwood			
2 to 3 ft	75	.60	
CYDONIA cathayensis (new), Chinese Flowering Quince		60	
3 to 4 ft	75	.60 .50	.40
2 to 3 ft	.50	.40	.35
3 in. pot, 8 to 12 in	25	.20	
japonica candida, White Flowering Quince			
japonica candida, White Flowering Quince 1½ to 2 ft	65	.50	
	50	40	
japonica pigmaea, Dwarf Flowering Quince (new)			- 1
1½ to 2 ft	75	.60	.50
		.50	.40
japonica rubra grandiflora, Blood Red Flowering Quince	65	.50	.40
japonica sanguinea, Crimson Flowering Quince	75	.60	
2 to 3 ft	65	.50	
.1 to 1½ ft	50	.40	
japonica, Flowering Quince, (mixed colors, seedlings)		40	
2 to 3 ft	50	.40 .30	
1 to 1½ ft		.25	
8 to 12 in		.20	
DEUTZIA gracilis, Slender Deutzia 2 to 3 ft 1½ to 2 ft	75	.60	
1½ to 2 ft	75 50	.40	
magnifica			
4 to 6 ft	75	.60	.50
rosea, Rose Panicle Deutzia	1.00	.75	
6 to 8 ft		.60	
1½ to 2 ft		.30	.25
scabra Pride of Rochester			
2 to 3 ft	35	.25	
FORSYTHIA intermedia, Border Forsythia 3 to 4 ft	50	.40	
3 to 4 ft		.30	.25
1½ to 2 ft		.30 .25	
intermedia spectabilis, Showy Border Forsythia			
3 to 4 ft	65	.50	
1½ to 2 ft	50	.40 .35	.30
suspensa fortunei, Fortune Weeping Forsythia			
8 to 10 ft		1.00	
6 to 8 ft	1.00	.75	.60
HIBISCUS syriacus, Shrub Althea, assorted named varieties			
4 to 5 ft	. 1.00	.60 .50	
2 to 3 ft	.60	.40	
MEDDIA :			
2 to 3 ft	.50	.40	.30
116 to 2 ft	.40	.30	. 25

	rate	rate	rate
	.50	.40	
1½ to 2 ft	.40	.30	
indica nubra Red Crene Murtle			
1½ to 2 ft	.65	.50	
1½ to 2 ft	.50	.40	
PHILADELPHUS Albatre			
2 to 3 ft	.75	.60	
1½ to 2 ft	.65	.50	
Avalanche 6 to 8 ft	.75	.50	
	., 0	.00	
coronarius, Sweet Mockorange	.65	.50	
• • • • • • • • • • • • • • • • • • • •	.00	.50	
Dame Blanche 2 to 3 ft	60	50	
2 to 3 ft	.65	.50	
Favorite	~-	70	
6 to 8 ft	.75	.50	
grandiflorus, Big Scentless Mockorange			
4 to 6 ft	.75	.60	
,	.50	.40	
speciosus (very large flowers)	~-		
6 to 8 ft		.60 .50	
3 to 4 ft	.50	.40	
571 .1 1.			
Virginale 1½ to 2 ft	.50	.40	
1/2 00 2 10	.00	. 10	
PUNICA granatum, Pomegranate,			
Double Scarlet			
3 to 4 ft	.75	.60	.50
2 to 3 ft	.65	.50	
Double Yellow			
4 to 6 ft	.50	.40	
Mme. Legrelle (flowers variegated, red and yellow)			
4 to 5 ft	1.00	.75	.60
3 to 4 ft	.75	.50	.40
2 00 7 101111111111111111111111111111111		.40	.30
nana, Dwarf Pomegranate			
Balled with fruit 1 to 114 ft	1.00	.75 .60	.50
Balled with fruit 8 to 12 in	.65	.50	.30
nana, Dwarf Pomegranate Balled, with fruit, $1\frac{1}{2}$ to 2 ft. Balled, with fruit, 1 to $1\frac{1}{2}$ ft. Balled, with fruit, 8 to 12 in. 4 in. pot, 8 to 10 in.	.40	.30	.25
SPIREA Anthony Waterer 1½ to 2 ft	.65	.50	
	.00	.50	
billiardi, Billiard Spirea 4 to 5 ft	.50	.40	
2 to 3 ft	.35	.25	
froebeli, Froebel Spirea 2 to 3 ft	.40	.30	.25
1½ to 2 ft	.35	.30 .25	.25 .20
prunifolia plena, Double Bridalwreath			
2 to 3 ft	.75	.60	.50
1 72 00 2 10	.65	.50	
1 to 1½ ft	.50	.40	
reevesiana lanceolata, Double Reeves Spirea			
2 to 3 ft	.50	.40	
vanhouttei, Vanhoutte Spirea			
2 to 3 ft	.50	.40	
1½ to 2 ft	.40	.30	
SYRINGA chinensis (rothomagensis), Chinese Lilac			
4 to 6 ft		.75	
3 to 4 ft	.75	.60	40
2 to 3 ft	.65 .50	.50 .40	.40
	.50	.70	.50
vulgaris, Common Purple Lilac	50	25	20
1 to 1½ ft	.50	.35	.30

LILACS

Named Varieties

All our Lilacs are budded. They are pinched when a few inches high so all sizes are branched. Practically all will bloom the first season.

NOVELTIES AND SPECIALTIES

NO VERTIES AND SI ECIAETIES			
Available sizes shown after each variety. Description	ns below.		
	each rate	10 rate	100 rate
3 to 4 ft 2 to 3 ft 1 ½ to 2 ft	1.50	1.25	
2 to 3 ft	1.25	1.00	
1½ to 2 ft	1.00	.75	
1 to 1½ ft	75	.60	
Capt. Baltet, 2 to 3 ft., 1½ to 2 ft. and 1 to 1½ ft.			
Jan Van Tol, 2 to 3 ft., 1½ to 2 ft. and 1 to 1½ ft.			
Katherine Havemeyer, 2 to 3 ft. and 1½ to 2 ft.			
Maurice Barres, 2 to 3 ft., 1½ to 2 ft. and 1 to 1½ ft.			
Mme. Francisque Morel, 2 to 3 ft., 1½ to 2 ft., and 1 to 1½ ft.			
Pres. Faillieres, 2 to 3 ft., and 1½ to 2 ft., and 1 to 1½ ft.			
Pres. Poincare, 3 to 4 ft., and 2 to 3 ft.,			
Volcan, 1½ to 2 ft., and 1 to 1½ ft.			
1928 SET			
New varieties introduced in Spring 1928 Available sizes si	nown after	each	

New varieties introduced in Spring 1928, Ava	ailable sizes shown after each
variety. Descriptions 1	below.

		variety. Descriptions below.			
4 to	6	ft	1.50	1.25	
3 to	4	ft	1.25	1.00	
2 to	3	ft	1.00	.75	
1 1/2 to	2	ft	.75	.60	.50
l to	11/2	ft	.65	.50	.40
/ *	_	0.6			

Buffon, 4 to 6 ft., 2 to 3 ft., and 1 to $1\frac{1}{2}$ ft.
Descartes, 4 to 6 ft., 3 to 4 ft., 2 to 3 ft., $1\frac{1}{2}$ to 2 ft. and 1 to $1\frac{1}{2}$ ft.
Diderot, $1\frac{1}{2}$ to 2 ft. and 1 to $1\frac{1}{2}$ ft.
Edith Cavell, 2 to 3 ft., $1\frac{1}{2}$ to 2 ft., and 1 to $1\frac{1}{2}$ ft.
Edouard Andre, 3 to 4 ft., $1\frac{1}{2}$ to 2 ft., and 1 to $1\frac{1}{2}$ ft.
Louvois, 2 to 3 ft., and $1\frac{1}{2}$ to 2 ft.
Montaigne, 3 to 4 ft., 2 to 3 ft., and $1\frac{1}{2}$ to 2 ft.
Mont Blanc, 3 to 4 ft., 2 to 3 ft., and $1\frac{1}{2}$ to 2 ft.
Waldeck-Rousseau, 2 to 3 ft., and $1\frac{1}{2}$ to 2 ft.

GENERAL COLLECTION

			Varieties and descriptions below.			
4	to	6	ft	1.25	1.00	.75
3	to	4	ft	1.00	.75	.60
2	to	3	ft	.75	.60	.50
1.1	á to	2	ft.	60	50	40

DESCRIPTIONS OF LILACS

NOVELTIES

Capt. Baltet—Single. Violet lilac.

Jan Van Tol—Single white. Both the clusters and the individual flowers are of enormous size.

A very good grower and free bloomer. Very fine.

Katherine Havemeyer—Double. Cobalt blue flushed mauve. Flowers very large. One of the

handsomest.

handsomest.

Maurice Barres—Single. Mauve opening lilac blue.

Mme. Francisque Morel—Double. Light creamy lilac. Very fine.

Pres. Faillieres—Double, lavender pink. Color charming. Trusses simply enormous. Flowers large and very double. Truly magnificent and easily the best.

Pres. Poincare—Double. Claret mauve. Clusters of unusual size, very compact, with very large flowers. One of the best.

Volcan-Deepest purple. Very late.

1928 SET

*Buffon—Single. Flowers large, pink shaded mauve.
*Descartes—Single. Mauve blue. Exceedingly free blooming. Flowers before leaves appear.
Diderot—Single. Deep purple: buds almost black. Clusters very long and narrow.
Edith Cavell—Double. Milk white. Buds tinted deep cream. Handsome.
Edouard Andre—Double. Rose or nearly pink.
*Louvois—Single. Purple becoming blue. Clusters extra large.
Montaigne—Double. Pinkish mauve. Very large clusters.
Mont Blanc—Single. White. Large flowers and clusters. Very fragrant.
Waldeck-Rousseau—Double. Deep violet flowers, borne in long trusses.

GENERAL COLLECTION Double Varieties

*Berryer—Mauve. Petals curly. Free bloomer.

Chas. Sargent—Violet mauve blended sky blue; enormous flowers and clusters.

*Claude Bernard—Bright mauve. Included in the "Early Lilacs" but really in a class by itself and distinct from all others. Petals are long and wavy or twisted. Largest flowers are an inch broad. Very fine.

Condorcet—Almost pure blue. Semi-double.

Ellen Willmott—Snow white. Elegant spikes; fine large flowers of the "hose in hose" type.

Emile Gentil—Bright cobalt-blue.

Georges Bellair—Carmine becoming purple. Very profuse and compact.

Hippolyte Maringer—Purplish mauve; compact clusters.

Jean Bart—Carmine becoming rosy purple. Petals sharp and twisted. Unique.

Jean Mace—Mauve changing to bluish purple. Very good.

Jeanne d'Arc—White. Flowers very large. Very early, profuse and fine in every way.

La Tour d'Auvergne—Dark lilac, good.

Leon Gambetta—Pink-lilac. Early. Among the best.

Marechal Lannes—Mauve becoming pinkish blue. Beautiful color.

Maximowicz—Violet heliotrope. Clusters long and well filled.

President Loubet—Deep purple becoming reddish lilac. President Loubet—Deep purple becoming reddish lilac.

President Viger—Purple becoming lilac. Clusters large and dense.

*Vauban—Pale mauve pink, Panicles large. Delicious fragrance. Extremely free bloomer. Strong grower. Victor Lemoine-Pinkish purple becoming mauve blue. Clusters much forked. Strong

fragrance. Single Varieties

Christopher Columbus—Opens clear blue. Late.

De Miribel—Dark bluish violet. Very late.
Dr. Breitschneider—Pure pink. Blooms on new wood, hence late.
Dr. Lindley—Brilliant violet-purple, buds red. Fine regular clusters.
Edmond Boissier—Dark purple. Flowers very large.
Gloire de Lorraine—Dark lilac becoming blue.
Hugo Koster—Reddish purple. Clusters of good size and regular form.
*Lamartine—Mauve pink. Clusters much forked. Flowers large. Extremely vigorous and one of the earliest. of the earliest.

of the earliest.

Ludwig Spaeth—Dark purple, Clusters long and slender. Late.

Lutee—Pink. Very late. Blooms on new wood.

Marie Le Graye—White. Early. An old favorite.

*Mirabeau—Mauve. The earliest of all. Extremely vigorous.

*Pascal—Pure lilac. Very free. Less vigorous than other "Early Lilacs."

*Perle Von Stuttgart—Pure white. Both flowers and clusters very large.

Vestale—White. Flowers large. Our earliest white variety. Very fine.

*Varieties starred are the new "Early Lilacs." These are hybrids between Syringa giraldi and the earliest varieties of S. vulgaris. They are very distinct from previous varieties in both appearance and habit. They are ten days to two weeks earlier and the clusters are borne well above the foliage at the ends of long erect branches. Leaves are only partially developed when they bloom. These features give them very great value as cut flowers. We recommend them highly.

These reactives give them very great value as out nowers. We recommen		gy.	
e	ach	10	100
	ate	rate	rate
TAMARIX pentandra, Fivestamen Tamarix			
6 to 8 ft		.75	.60
4 to 6 ft	.75	.60	.50
VIBURNUM opulus sterile, Common Snowball			
1 to 1½ ft	.50	.40	.30
WEIGELA candida (white)			
4 to 6 ft	75	.60	
2 to 3 ft	50	.40	
Chameleon (pink and white)	.00	• • • •	
6 to 7 ft	1.00	.75	
4 to 6 ft	75	.60	
	./3	.00	
Desboisi (red)			
4 to 6 ft		.60	
2 to 3 ft	.50	.40	
Eva Rathke			
1 to 1½ ft	.65	.50	
gigantiflora (pink)			
4 to 6 ft	.75	.60	
nana variegata			
2 to 3 ft	.75	.60	
$1\frac{1}{2}$ to 2 ft	.50	.40	
praecox Floreal			
4 to 6 ft	1.00	.75	
rosea (pink)			
1½ to 2 ft	.40	.30	
1 to 1½ ft	.35	.25	
· -			

IMPORTANT

Be sure to read pages 2 and 3 about NOVELTIES and SPECIALTIES

CLIMBERS

Wisterias will be dug with bare roots. All other stock in this se	ection is	s pot gro	wn.
See page 3	each	10	100
AMPELOPSIS aconitifolia Mankshood-Vine	rate	rate	rate
AMPELOPSIS aconitifolia, Monkshood-Vine 4 in. pot, 1½ to 2 ft	40	.30	
EUONYMUS radicans acutus, Sharpleaf Wintercreeper			
4 in. pot, 1 to 2 ft	35	.25	.20
FICUS pumila (repens), Climbing Fig 4 in. pot, 3 yr			
4 in. pot, 3 yr	35	.25	.20
GELSEMIUM sempervirens, Carolina Jessamine			
4 in. pot, 1½ to 2 ft	40	.30	
HARDENBERGIA comptoniana (violet) 4 in. pot, 1 to 1½ ft	40	.30	.25
monophylla (pink)		.00	.20
4 in. pot, 1 to 1½ ft	35	.25	
monophylla aiba		25	
5 in. pot, 2 to 3 ft	50	.35	
monophylla lilacina (blue)	40	.30	.25
$\frac{4}{1}$ in. pot, $\frac{1}{2}$ in. pot, $\frac{6}{1}$ to $\frac{1}{2}$ in. pot, $\frac{6}{2}$ to $\frac{8}{2}$ in. pot, $\frac{6}{2}$ to $\frac{8}{2}$ in.	25	.20	.15
HEDERA helix marmorata, Mottled Ivy 4 in. pot, 1 to 1½ ft	40		
4 in. pot, 1 to 1½ it	40	.30	.25
JASMINUM beesianum, Rosy Jasmine	.35	.25	.20
JASMINUM beesianum, Rosy Jasmine 4 in. pot, 2 to 3 ft	35	.25 .20	.15
grandiflorum, Spanish Jasmine 4 in. pot, 1½ to 2 ft			
4 in. pot, 1½ to 2 it	50	.40	
primulinum, Primrose Jasmine	60	.40	
4 in. pot, 4 to 5 ft	.50	.35	.30
7 in. pot, 5 to 6 ft	40	.30	.25
LONICERA ignonica chinensis Chinese Honeyeyekle	35	.25	.20
LONICERA japonica chinensis, Chinese Honeysuckle 4 in. pot, 2 to 3 ft	35	.25	.20
japonica halliana, Hall Japanese Honeysuckle 4 in. pot, 2 to 3 ft			
	35	.25	.20
"Scarlet Trumpet" Balled, 1½ to 2 ft	65	.50	
PANDOREA australis (Tecoma), Australian Pandorea	03	.30	
4 in. pot, 1 to 1 ½ ft	40	.30	.25
SOLANUM jasminoides, Jasmine Nightshade 4 in. pot, 2 to 3 ft			
4 in. pot, 2 to 3 ft	35	.25	
SOLLYA heterophylla, Australian Bluebell Creeper 4 in. pot, 1½ to 2 ft	40	.30	.25
4 in. pot, 1 to 1½ ft	35	.25	.20
2½ in. pot, I to 1½ it	25	.20	.15
WISTERIA—All stock offered below is bench grafted and grown staked, to the age specified. Most of them will start multijuga, Longcluster Wisteria (light purple)	in ope	n ground	d, not
multijuga, Longcluster Wisteria (light purple)	DIOOIII	ing at one	
3 year 2 year	. 2.00	1.50	
2 year	. 1.50	1.25	
multijuga alba, White Weeping Wisteria 3 year 2 year	. 2.00	1.50	
2 year	. 1.50	1.25	
multijuga rosea, Pink Japanese Wisteria 2 year	2.00	1.50	1.25
sinensis (blue), Chinensis Wisteria	. 2.00	1.30	1.23
We guarantee that at least 75% will bloom in Spring 1	930.		
4 year 3 year	. 2.00	1.50 1.25	1.25 1.00
venusta, Silky Wisteria (white)	. 1./5	1.25	1.00
3 year	. 1.50	1.25	
3 year 2 year	. 1.25	1.00	
REPORTE T A STRAFT			
MISCELLANEOUS			
CORDYLINE (Dracaena), Narrow leaf type			
CORDYLINE (Dracaena), Narrow leaf type 4 in. pot, 1½ to 2 ft	50	.40	.35
HESPEROYUCCA whimplei Changral Vucca California Yucca			
4 in. pot, 1 to 1 ½ ft	50	.40 .30	.25
3 in. pot, 6 to 8 in	40	.25	.20